## AMENDMENT TO H.R. 5515 OFFERED BY MR. CARBAJAL OF CALIFORNIA

At the appropriate place in title VII, add the following new section:

| 1  | SEC. 7 LIMITATION ON CHANGES TO FEDERAL EMER-              |
|----|--|
| 2  | GENCY SERVICES CERTIFICATION LEVELS OF                     |
| 3  | THE AIR FORCE.   |
| 4  | The Secretary of the Air Force may not transition          |
| 5  | Federal Emergency Services certification levels from       |
| 6  | Emergency Management Technician level to Emergency         |
| 7  | Medical Responder level until the Secretary submits to the |
| 8  | congressional defense committees a report that contains    |
| 9  | the following:   |
| 10 | (1) Details on the process and factors the Air             |
| 11 | Force Emergency Medical Services Working Group             |
| 12 | used and considered to determine which military in-        |
| 13 | stallations would be required to transition Federal        |
| 14 | Emergency Services certification levels from Emer-         |
| 15 | gency Medical Technician level to Emergency Med-           |
| 16 | ical Responder level.                                      |
| 17 | (2) The required base and community emer-                  |
| 18 | gency response standards the Air Force Emergency           |
| 19 | Medical Services Working Group based such transi-          |

| 1  | tion on, including information on where these stand-     |
|----|--|
| 2  | ards are defined and how these standards were de-        |
| 3  | veloped.   |
| 4  | (3) Information on how the Air Force will meet           |
| 5  | the needs of trench rescue, water rescue, high angle     |
| 6  | rescue, and confined space rescue pursuant to De-        |
| 7  | partment of Defense Instructions with less Emer-         |
| 8  | gency Management Technician certified personnel.         |
| 9  | (4) Information on the required response time            |
| 10 | standard for advanced life support and how the Air       |
| 11 | Force Emergency Medical Services Working Group           |
| 12 | determined a military installation could meet this       |
| 13 | standard.  |
| 14 | (5) Details on any contingency plans the Air             |
| 15 | Force has developed when basic and advance life          |
| 16 | support care and ambulance transport are unavail-        |
| 17 | able as a result of these resources being used to        |
| 18 | transport patients to medical facilities located off the |
| 19 | military installation.                                   |

